



DOOR & WINDOW WOOD DOOR двери

2019 Selection

One Stop Product Supply for :

- ◆ Apartment
- ◆ Villa
- ◆ Hotel
- ◆ Hospital
- ◆ Office building
- ◆ Shopping Mall
- ◆ etc.



Security Door



One Stop Product Supply for :


- ◆ Apartment
- ◆ Villa
- ◆ Hotel
- ◆ Hospital
- ◆ Office building
- ◆ Shopping Mall
- ◆ etc.

Interior Door

NOTE : All colours shown in this brochure are as close to the actual product colours as modern technical printing process allows. it is necessary to refer to the actual product colours



Steel Door Structure



- 1) Lock
замок

2) The Side、top and bottom lock pins
стороной, верхний, нижний ригели

3) Rubber seal
резиновое уплотнение

4) Hinge
петля

5) Installation holes
монтажные отверстия

6) Peephole(viewer)
глазок
- 7) Frame
дверная коробка

8) Honeycomb paper
сотовые бумаги

9) Steel plate
сталь

10) Doorsill
порог

11) Bell
дверной колокольчик

Opening direction	inward/outward	
	left/right	
	Height(mm)	Width(mm)
single door	2050	860/900/960
Composite door	2050	1200
double door	2050	1500

Economical series



Standard Series



STD-203



STD-100



STD-040



STD-170



STD-131



STD-097



STD-133



STD-099



STD-135



STD-067




STD-001



STD-101



STD-172



STD-173



STD-134

FROSTED HEAT TRANSFER SERIES



SDF-003



STD-206



STD-154



SDF-145



STD-205




SDF-006



SDF-007









SDF-005



SDF-144

LUXURY SERIES STRUCTURE Стальные двери

Only available for 90mm thickness




STEEL DOOR Стальные двери

High End Series



STEEL DOOR Стальные двери

Glass Series



STEEL DOOR Стальные двери

One and Half Door



Double Door




Composited Security Door



* People stands outside of the room



* The picture just for reference only, the actual color refer to the color sample.




FIREPROOF CERTIFICATE




Fireproof Certificate




Fireproof Certificate



Fireproof Test Report



Fireproof Test Report



FIREPROOF DOOR Стальные двери

BS Fire-proof door—противопожарные двери



FSD-001




STD-020




STD-045



STD-111



STD-047




STD-027



STD-028

FIREPROOF DOOR Стальные двери

BS LIST FIRE-RATED DOOR



Features:

Steel Fireproof Door&Frame is made of cold-rolled steel.
The door is insulated with fireproof material, with its hardware meeting fireproof, integrity and insulation requirements.

Functions:

Fireproof material filled
Hardware fire-rating temp more than 950
Only available in outswing opening
Frame should be installed with fireproof rubber seal
Door steel skin: 0.8-1.0mm door frame steel: 1.2-1.5mm



Features

Hardware



P-001



P-002



PH-001



PH-002




PH-003

Panic Bar

Handle for Panic Bar



FS001
Standard 201
fire rated lock



FS002
304 stainless steel
fire rated lock



FS003
304ss handle without
cylinder

lock for passage



FS004



FS005

Lock for Shaft Door



Door Closer

FIREPROOF DOOR

противопожарные двери

UL STANDARD
FIRE-RATED DOOR

Hardware



STD-205



STD-206



STD-207



STD-208




STD-209

FIREPROOF DOOR

противопожарные двери

UL LIST FIRE-RATED DOOR FRAME STRUCTURE




WOOD STUD
ANCHOR



WIRE
MASONRY



STEEL STUD
ANCHOR




HINGE
REINFORCEMENT

FIREPROOF DOOR

противопожарные двери

UL STANDARD FIRE RATED DOOR LEAF STRUCTURE



STAINLESS STEEL DOOR

Нержавеющие двери



SSD-001 SSD-015 SSD-003 SSD-004-B SSD-005-B



SSD-006-B SSD-016 SSD-019 SSD-009-D SSD-010-E



SSD-011 SSD-012 SSD-013 SSD-014


STEEL PVC DOOR SERIES-RUSSIAN STYLE

Outside:

Steel plate with powder coating treatment.



SPD-001



SPD-002

Inside:

Steel plate with heat transfer treatment or PVC film.



SPD-003



SPD-004



SPD-005



SPD-006



SPD-007



SPD-008



SPD-009



SPD-010

ARMORED DOOR

PRODUCT STRUCTURE

Бронированные двери

Конструкция продукции

Armored door structure



- A) Inner high-quality steel plate
- B) U-style reinforced rib
- C) Door bound edge
- D) Reinforced security door frame
- E) Fixed board for screw
- F) Decorative door casing
- G) Side locking point
- H) Film with natural wood veneer

- I) Wide-angle viewer
- J) Fixed bolt
- K) High quality door lock
- L) Reinforced hinges
- M) Sound/heat insulation plate
- N) Security door edge
- O) Sound resistant seal strip

ARMORED DOOR

Бронированные двери

Wooden Armored Door



AMD-002



AMD-003



AMD-006



AMD-007



AMD-009



AMD-096



AMD-032



AMD-040



AMD-044



AMD-045



AMD-097



AMD-067



AMD-068



AMD-099



AMD-077

ARMORED DOOR

Бронированные двери

Wooden Armored Door



AMD-011



AMD-012



AMD-016



AMD-033



AMD-063



AMD-065



AMD-069



AMD-070



AMD-071



AMD-072



AMD-073



AMD-074



AMD-075




AMD-102




AMD-103

STEEL WOODEN DOOR




Frame Types
Steel Frame--Knock Down Frame



Wood Frame-- Various Wood Options



Door sill/threshold



STEEL WOODEN DOOR



SW-031 SW-004 SW-024 SW-029 SW-032



SW-033 SW-034 SW-035 SW-008 SW-037




SW-013 SW-026 SW-028 SW-017 SW-018


STEEL DOOR Стальные двери

HANDLE

Standard



Stainless steel series




Luxury




STEEL DOOR Стальные двери


LOCK BODY



SUB LOCK



HINGE



CYLINDER



PEEPHOLE



Production line (Рекомендация)

Laminate Door Production Line

1



Selecting high quality raw material of melamine board.

2



Assembling fir wood as skeleton and filling different materials into door leaf.

3



Cold Pressing: Glue the melamine boards on both sides, do cold pressing to make sure permanent stability.

4



Drilling grooves to the frame and holes for hardware

5



Do lipping on the door leaf

6



Packing MDF Doors after inspection by foam +corner protector+Special Export Carton Box

MDF Door Production Line

1



Selecting the raw material of the highest grade and cutting MDF board based on the customized size.

2




Carving pattern: Input the required pattern into the automatic carving machine to guarantee the high efficiency and accuracy.

3



Assembling the fir wood and MDF board to basic strong structure of door leaf.

4



Laminating with PVC film by the machine.

5




Laminating the film on the door frame.

6



Storage of finished MDF Doors in clean and dry place

LAMINATE DOOR двери Меламин



LAMINATE DOOR -Flush Series двери Меламин

(Both Melamine and HPL Available)



MLD-037



MLD-112



MLD-030

Economic Type



MLD-031



MLD-032



MLD-038



MLD-040



MLD-046

LAMINATE DOOR -Flush Series двери Меламин

(Both Melamine and HPL Available)

Standard Type



MLD-039



MLD-108



MLD-110



MLD-111



MLD-041



MLD-142



MLD-180

Single color series



MLD-159



MLD-118



MLD-158



MLD-052

Combined Color Series



MLD-140



MLD-141

Glass series



MLD-033



MLD-035



MLD-036



MLD-160

Maximum Outframe size:
H*W 2150*960
Maximum Door leaf size:
H*W 2130*910



MLD-156



MLD-166



MLD-148



MLD-149



MLD-154



MLD-155



MLD-165



MLD-017



MLD-054



MLD-151



MLD-152



MLD-153




MLD-019



MLD-024

LAMINATE DOOR Фурнитура

Door frame / Дверная коробка :



Color Option -Melamine Door

Smooth Series



Wood Grain Series




Embossed Series



Color Option--HPL Door



MDF DOOR двери МДФ





PVD-109



PVD-021



PVD-110



PVD-112



PVD-013



PVD-113



PVD-025



PVD-026



PVD-180



PVD-117



PVD-005




PVD-118



PVD-010



PVD-154



PVD-094



PVD-018



PVD-095



PVD-115



PVD-183 PVD-135 PVD-136 PVD-151 PVD-187



PVD-188 PVD-190 PVD-197 PVD-193 PVD-196



PVD-008 PVD-031



PVD-032 PVD-086



PVD-120 PVD-121 PVD-081 PVD-130 PVD-097

MDF DOOR - Glass Series двери МДФ



PVD-033 PVD-131 PVD-083 PVD-119



PVD-082 PD-021 PD-023 PD-025



PD-053 PD-054 PVD-160

MDF DOOR - Engineering Series двери МДФ




PVD-175 PVD-199



PVD-173 PVD-174

Door Corner
Section





PVD-163




PVD-200 PVD-202 PVD-203 PVD-204 PVD-205


PVC door frame types



PVC door casing



Installation



Color Option




PVC Door

Water-Proof
PVC Door



■ Structure



3mm PVC Board on both sides, water-proof

Honeycomb paper infilling
Semi-solid wood blocks infilling
Hollow Core Particle board infilling

Firwood skeleton-Strong and stable structure,
no bending or out-of shape

PVC Door

Deep Groove Series

(Maximum size for Door leaf: H*W 2150*920mm)
(Minimum Size for Door leaf: H*W 2000*750mm)



PD-01



PD-02



PD-03



PD-04

Raised Moulding Series

(Maximum size for Door leaf: H*W 2150*920mm)
(Minimum Size for Door leaf: H*W 2000*750mm)



PD-05



PD-06



PD-07



PD-08

WPC DOOR WPC(Деревянной пластичной смеси)



Product performance

- Stability:**
High-density raw material, life-time using
- Workable:**
Very good at machining, could be cut, drilled and painted
- High resistance:**
High resistance for cracking and losing shape, fire proofed, heat proofed, water proofed, termite proofed
- Finsihing:**
no color difference, could be finished with verneer, PVC film, decoration paper, heat transfer and painting.
- Environment-friendly:**
recyclable, no formal dehyde
- Customization:**
customized size and design

Test Item	Test	Test Result
Mositure Content	GB/T 17657-1999	1.50%
Water Absorption	GB/T 6739-1996	0.52%
Formal Dehyde Release	18580-2001	N/A
The size change rate after heating	1634.2-2004	-0.87%
Vicat softening temp	1633-2000	81°
Bending Strength	1040-1992	27MPa
(Shored)hardness	1043-1993	4H
Grasps bolt strength	1043-1993	535N

WPC DOOR

WPC(Деревянной пластичной смеси)

Engineering Series



WPD-043



WPD-044



WPD-001



WPD-002

Flush Series with Groove Design



WPD-045



WPD-046



WPD-003



WPD-006



WPD-005

Glass Series



WPD-039



WPD-040



WPD-041



WPD-042



WPD-030

Hardware for Internal Doors:

Melamine, HPL, MDF, PVC, WPC

Standard Aluminum Material



Lock-01



Lock-02



Lock-04



LOCK-06




LOCK-03



Hinge-01

201 S/S & 304 S/S Material



TH001



TH003




TH005



TH006



TH009



Hinge-1

Comparision Between 201 S/S & 304 S/S

Item	201 S/S Locksets	304 S/S Locksets
Lock handle	 <div>Round/square /curve desgin Materias:201 s/s</div>	 <div>Round/square /curve desgin Materias:304 s/s</div>
Lock body	 <div>58mm series Side plate&Strike plate materials:201 S/S</div>	 <div>58mm series Side plate&Strike plate materials:304 S/S</div>
Cylinder	 <div>Brass with Zinc coated, Diameter: 15*30mm</div>	 <div>Brass with Zinc coated, Diameter: 17*33mm</div>
Key	 <div>3keys Brass materials Smaller</div>	 <div>3keys Brass materials Bigger+Thicker</div>
Salt Spray Tests	More than 24Hours	More than 48Hours

CONTENT

(Содержание)



ENTRANCE DOOR (Двери входные)

- ◆ Traditional Series



INTERIOR DOOR (Двери межкомнатные)

- ◆ Craft Door-Wood Grain Line -Modern Line
- ◆ Flush Veneer Series
- ◆ Flush Decoration Series
- ◆ Primed Door
- ◆ Moulded Door
- ◆ Unfinished Door




INTERIOR DOOR (Двери межкомнатные)

- ◆ Folding Door



HARDWARE (Металлы)

- ◆ Main Door Lock
- ◆ Interior Door Lock
- ◆ Other Accessories



AVAILABLE STRUCTURE

INSTALLATION GUIDANCE



Entrance Door

(Двери входные)

Traditional Series



PD-420



PD-421



PD-422



PD-423



PD-202



PD-302



PD-405



PD-409



PD-410



PD-411

Interior Door

(Двери межкомнатные)

Craft Door-Prestige Line



CD-101



CD-406



CD-403



CD-105



CD-107



CD-410



CD-143



CD-109



CD-140



CD-141



CD-141



TD-166

Interior Door

(Двери межкомнатные)

Craft Door -Wood Grain Finish



WD-409



WD-402



WD-410



WD-403



WD-406



WD-412



WD-413



WD-414

Interior Door

(Двери межкомнатные)

Craft Door-Modern Line



PD-107



PD-108



PD-214S



PD-215



PD-216



FLD-204



FLD-216



FLD-218



PD-314

Interior Door

(Двери межкомнатные)

Flush Veneer Series-Light Groove Line



FLD-108



FLD-401



FLD-101



FLD-314



FLD-403



FLD-107



LGL04



FLD-405



FLD-406



FLD-412



LGL03



FLD-409

Interior Door

(Двери межкомнатные)

Flush Decoration Series--light Groove Line(new)



LGL01



LGL02



LGL05



LGL06



LGL07



LGL08



LGL09

Interior Door

(Двери межкомнатные)

Flush Decoration Series--Deep Groove Line(new)



DGL01



DGL02




DGL03



DGL04



DGL05



DGL06



DGL07

Interior Door

(Двери межкомнатные)

Flush Decoration Series--Ply Wood Line(new)



PWL01



PWL02



PWL03



PWL04



PWL05



PWL06

Interior Door

(Двери межкомнатные)

Primed Door



MD-002




MD-005




MD-006

Structure


1:Shaker Panel



2.decorative moulding with raised panel



3.optional decorative raised moulding,double hip raised panel



SP-120



SP-121



SP-123



SP-125



SP-128



SP-129



SP-130



SP-131



SP-132




SP-133

Interior Door

(Двери межкомнатные)

Moulded door-White Primer Finish




DM-002



DM-035




DM-023



Hollow core/ semiwood/particleboard

Designs and Specification

Max Size:2150x1050mm
Min Size:2000x700mm



Size	Material		Surface	Painting Option
	Filling core	Skeleton		
1:Height 1900-2100mm(74.8-82.68in)	1:Hollow Core	1: Finger Joint Wood	1:Smooth White Primer	1:White Primer
2:wide 610-1000mm(24-39.37in)	2: particle Board	2:Wood+plywood	2:Wood Grain White Primer	2: PU Painting
3:Thickness: 35-45mm(1.375-1.75in)	3: Solid core	3:Wood+MDF		3: Water Borne Painting
	4: Fire rated board			

Interior Door

(Двери межкомнатные)

Moulded door-wood veneer Finish



Designs and Specification



DHL05 DHL06 DHL07

Wood Primer Door				
Size	Material		Surface	Painting Option
	Filling core	Skeleton		
1:Height 1900-2100mm(74.8-82.68in)	1:Hollow Core	1: Finger Joint Wood	1:Wood veneer	1:Unfinished
2:wide 610-1000mm(24-39.37in)	2: particle Board	2:Wood+plywood		2: PU Painting
3:Thickness: 35-45mm(1.375-1.75in)	3: Solid core	3:Wood+MDF		3: Water Borne Painting
	4: Fire rated board			

Interior Door

(Двери межкомнатные)

Unfinished Door




Wood Available



Interior Door


(Двери межкомнатные)

Unfinished Door



Folding Door

(Двери французские&патио)



Main Door Lock

(SS)



LA-01



LA-02



LA-03



LA-04

(304 S/S)



LA-05

(ZA)



LS-01



LS-03



LS-07



LS-08



LS-09

(ZA)



LS-03



LS-06



LS-07



LS-10



MDL013

(SS)



LH-02



LH-03



LH-04



LH-05



LH-06

UL Certificate Lock



MB001



MB002



MB004



MB007



MB008

Interior Door Lock

(ZA/SS)



LM-01



LM-04



LDL-020



LDL-021



LDL-022

(304 S/S)

(ZA/SS)



LE-01



LDL-024



LDL-025



LDL-026




LDL-027

(304 S/S)

(ZA)



LE-02



LE-03



LE-04

Sliding Door lock



LD-01



LD-02

Hafele Brand Lock for Optional



HL-01



HL-02



HL-03



HL-04

Passage&privacy lock

(304 S/S)



LE-08



LE-09



LE-10



LE-11




LE-12

Residential lock series




Fingerprint+Password+Card+Mechanical key door lock YKL8862 features a multi technology door lock in a unique modern design faceplate, with many innovated structures beyond your expectation.



FEATURES

Material	Zinc Alloy, Acrylic
Mortise	Center Distance: 68mm;Backset:60mm
Applicated Door Thickness	35-110mm
Power	6v(Alkaline AA battery x4)
Battery Life Time	5000-6000 times
Emergency Power	Micro-USB
Operating Temper ature	-15-55°C
Pin code	6-10 digits
Card	Mifare 1 (13.56MHz)
Mechanical key	3 keys
User capacity	30 (PW)+993(CARD)



Touch screen keypad lightens your unlocking with the latest technology. You could make an instant PIN code by adding any figure before or after the valid password to avoid the password being stolen.



C grade cylinder protects the lock from technical unlocking for at least 270 mins.



Optical fingerprint scanner, 0.3 sec collection rate and less than 0.01% recognition fault. It works stably in aggressive enviroments.(-15~60°C,20%~95% humithity)




Concealed USB and cylinder will be exposed by rotating the decoration cover at the bottom of the faceplate.

Residential lock series



Premium proximity card digital door lock with anti-panic. This new lock has three default credentials-PIN code card and mechanical key override. From now on, you could enjoy your jogging, dog walking garbage dumping without taking a key anymore.



Hardware

(Металлы)

Other Accessories

Lock Body




Door Stop



Hinge



Latch Bolt



Hardware


(Металлы)

Other Accessories

Security Hook



Panic Bar



Viewer



Floor Spring




Door Closure




Available Structure

(Металлы)


Door leaf Structure




DLS-001



DLS-002




DLS-003




DLS-004


Door frame Structure



DFS-001



DFS-002



DFS-003


Skirting Structure



SK-01



SK-02



SK-03




SK-04

Architrave Design

Solid Architrave




001



002



003




004




005


Veneer Architrave




006



007



008




009




010

Installation Guidance


(Металлы)




Step 1:
Trim the wall hole,
adjust the frame
size then assemble
the frame.




Step 2:
Put the frame into
the wall hole, fixed
it by PU foam.




Step 3:
Cut hinge hole
on the doorleaf
& doorframe.



Step 4:
Assemble the doorleaf
& frame by hinges &
screws.




Step 5:
Install the architrave.




Step 6:
Drill the lock hole
at the doorleaf and
frame, install the lock.


Standard Opening Direction




LHI
Inward swing,
lock at right side



RHI
Inward swing,
lock at left side



LHO
Outward swing,
lock at right side



RHO
Outward swing,
lock at left side